

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	Product size parameters unit/mm
	Ø30*H430 5W
	Ø40*H430 5w
	Ø60*H435 7w

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	black /white	gold
	Ø50*H200 5W	Ø50*H200 5W
	Ø50*H300 5W	Ø50*H300 5W
	Ø50*H400 5W	Ø50*H400 5W
	Ø50*H500 5W	Ø50*H500 5W
	Ø50*H600 5W	Ø50*H600 5W
	Ø50*H800 7W	Ø50*H800 7W
	Ø50*H1000 7W	Ø50*H1000 7W
	black /white matched Acrylic head	gold matched Acrylic head
	Ø50*H220 5W	Ø50*H220 5W
	Ø50*H320 5W	Ø50*H320 5W
	Ø50*H420 5W	Ø50*H420 5W
	Ø50*H520 5W	Ø50*H520 5W
	Ø50*H620 5W	Ø50*H620 5W
	Ø50*H820 5W	Ø50*H820 5W
	Ø50*H1020 5W	Ø50*H1020 5W
	panda type black /white	
	Ø50*H230	5W
	Ø50*H330	5W
	Ø50*H430	5W
	Ø50*H530	5W
	Ø50*H630	5W
	Ø50*H830	5W
	Ø50*H1030	5W

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

Product photo		Product size parameters			
		black /white		gold	
		Ø60*H235	5W	Ø60*H235	5W
		Ø60*H335	5W	Ø60*H335	5W
		Ø60*H435	5W	Ø60*H435	5W
		Ø60*H535	5W	Ø60*H535	5W
		Ø60*H635	7W	Ø60*H635	7W
		Ø60*H735	7w	Ø60*H735	7w
		Ø60*H835	10w	Ø60*H835	10w
		Ø60*H935	10w	Ø60*H935	10w
		Ø60*H1035	10w	Ø60*H1035	10w
Regular					
		black/white		Gold / Brown	
		Ø60*H150	5w	Ø60*H150	5w
		Ø60*H200	5w	Ø60*H200	5w
		Ø60*H300	5w	Ø60*H300	5w
		Ø60*H400	5w	Ø60*H400	5w
		Ø60*H500	7w	Ø60*H500	7w
		Ø60*H600	7w	Ø60*H600	7w
		Ø60*H700	7w	Ø60*H700	7w
		Ø60*H800	10w	Ø60*H800	10w
		Ø60*H900	10w	Ø60*H900	10w
		Ø60*H1000	10w	Ø60*H1000	10w
Acrylic head is available					
		black +gold/white+gold			
		gold section is 100 length			
		Ø60*H300	5w		
		Ø60*H400	5w		
		Ø60*H500	5w		
		Ø60*H600	5w		
		Ø60*H700	7w		
		Ø60*H800	7w		
		Ø60*H900	10w		
		Ø60*H1000	10w		

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

Product photo	Product size parameters	
	Bevel gold ring black/white	Bevel gold ring Gold/Silver
	Ø60*H200 5W	Ø60*H200 5W
	Ø60*H250 5W	Ø60*H250 5W
	Ø60*H300 5W	Ø60*H300 5W
	Ø60*H400 5W	Ø60*H400 5W
	Ø60*H500 5W	Ø60*H500 5W
	Ø60*H600 5W	Ø60*H600 5W
	Ø60*H700 7W	Ø60*H700 7W
	Ø60*H800 7W	Ø60*H800 7W
	Ø60*H900 7W	Ø60*H900 7W
	Ø60*H1000 7W	Ø60*H1000 7W
	Ø60*H1100 7W	Ø60*H1100 7W
	black /white	
	Ø60*H200 5W	5W
	Ø60*H250 5W	5W
	Ø60*H300 5W	5W
	Ø60*H400 5W	5W
	Ø60*H500 7W	7W
	Ø60*H600 7W	7W
	Ø60*H700 7W	7W
	Ø60*H800 7W	7W
	Ø60*H900 10W	10W
	Ø60*H1000 10W	10W
	Ø60*H1100 10W	10W
	Panda style/front cover inner gold	
	black /white	
	Ø60*H230 3W	3W
	Ø60*H330 5W	5W
	Ø60*H430 5W	5W
	Ø60*H530 5W	5W
	Ø60*H630 7W	7W
	Ø60*H730 7W	7W
	Ø60*H830 7W	7W
	Ø60*H930 10W	10W
	Ø60*H1030 10W	10W

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

New extended, straight tube, aluminum hanging wire lamp

product photo		unit/mm	
		black /white	gold
		Ø76*H150 5W	Ø76*H150 5W
		Ø76*H200 7W	Ø76*H200 7W
		Ø76*H300 7W	Ø76*H300 7W
		Ø76*H400 10W	Ø76*H400 10W
		Ø76*H500 10W	Ø76*H500 10W
		Ø76*H600 10W	Ø76*H600 10W
		Ø76*H700 10W	Ø76*H700 10W
		Ø76*H800 12W	Ø76*H800 12W
		Ø76*H900 12W	Ø76*H900 12W
		Ø76*H1000 12W	Ø76*H1000 12W
		black/white	gold
		Ø100*H150 10W	Ø100*H150 10W
		Ø100*H200 10W	Ø100*H200 10W
		Ø100*H300 12W	Ø100*H300 12W
		Ø100*H400 12W	Ø100*H400 12W
		Ø100*H500 15W	Ø100*H500 15W
		Ø100*H600 15W	Ø100*H600 15W
		Ø100*H700 15W	Ø100*H700 15W
		Ø100*H800 15W	Ø100*H800 15W
		Ø100*H900 15W	Ø100*H900 15W
		Ø100*H1000 15W	Ø100*H1000 15W
		black/white	gold
		Ø120*H150 10w	Ø120*H150 10w
		Ø120*H200 12w	Ø120*H200 12w
		Ø120*H300 15w	Ø120*H300 15w
		Ø120*H400 15w	Ø120*H400 15w
		Ø120*H500 15w	Ø120*H500 15w
		Ø120*H600 20w	Ø120*H600 20w
		Ø120*H700 20w	Ø120*H700 20w
		Ø120*H800 20w	Ø120*H800 20w
		Ø120*H900 20w	Ø120*H900 20w
		Ø120*H1000 20w	Ø120*H1000 20w

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meterr

product photo		product size			
		black /white		gold	
		Ø30*H200	5w	Ø30*H200	5w
		Ø30*H300	5w	Ø30*H300	5w
		Ø30*H400	5w	Ø30*H400	5w
		Ø30*H500	5w	Ø30*H500	5w
		Ø30*H600	5w	Ø30*H600	5w
		Ø30*H800	5w	Ø30*H800	5w
		Ø30*H1000	5w	Ø30*H1000	5w
		Black/White Gold Ring Blue Ring		Gold with blue ring	
		Ø30*H230	5w	Ø30*H230	5w
		Ø30*H330	5w	Ø30*H330	5w
		Ø30*H430	5w	Ø30*H430	5w
		Ø30*H530	5w	Ø30*H530	5w
		Ø30*H630	5w	Ø30*H630	5w
		Ø30*H830	5w	Ø30*H830	5w
		Ø30*H1030	5w	Ø30*H1030	5w
		Black/white with acrylic head		Gold with acrylic head	
		Ø30*H220	5w	Ø30*H220	5w
		Ø30*H320	5w	Ø30*H320	5w
		Ø30*H420	5w	Ø30*H420	5w
		Ø30*H520	5w	Ø30*H520	5w
		Ø30*H620	5w	Ø30*H620	5w
		Ø30*H820	5w	Ø30*H820	5w
		Ø30*H1020	5w	Ø30*H1020	5w



Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	product size		unit/mm	
	black/white		gold	
	Ø40*H200	5w	Ø40*H200	5w
	Ø40*H300	5w	Ø40*H300	5w
	Ø40*H400	5w	Ø40*H400	5w
	Ø40*H500	5w	Ø40*H500	5w
	Ø40*H600	5w	Ø40*H600	5w
	Ø40*H800	5w	Ø40*H800	5w
	Ø40*H1000	5w	Ø40*H1000	5w
	Black/White Gold Ring Blue Ring		Gold with blue ring	
	Ø40*H240	5w	Ø40*H240	5w
	Ø40*H340	5w	Ø40*H340	5w
	Ø40*H440	5w	Ø40*H440	5w
	Ø40*H540	5w	Ø40*H540	5w
	Ø40*H640	5w	Ø40*H640	5w
	Ø40*H840	5w	Ø40*H840	5w
	Ø40*H1040	5w	Ø40*H1040	5w
	Black/white with acrylic head		Gold with acrylic head	
	Ø40*H220	5w	Ø40*H220	5w
	Ø40*H320	5w	Ø40*H320	5w
	Ø40*H420	5w	Ø40*H420	5w
	Ø40*H520	5w	Ø40*H520	5w
	Ø40*H620	5w	Ø40*H620	5w
	Ø40*H820	5w	Ø40*H820	5w
	Ø40*H1020	5w	Ø40*H1020	5w

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	product size unit/mm
	panda type black /white
	Ø40*H245 5w
	Ø40*H345 5W
	Ø40*H445 5W
	Ø40*H545 5W
	Ø40*H645 7W
	Ø40*H845 7W
	Ø40*H1045 7W
	black +gold white+gold
	Ø40*H300 5W
	Ø40*H400 5W
	Ø40*H500 5W
	Ø40*H600 5W
	Ø40*H700 7W
	Ø40*H900 7W
	Ø40*H1100 7W

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	product size unit/mm	
	black	
	outer diameter 40*40 length 200 5W	Suitable for both spotlight and diffuse light.
	outer diameter 40*40 length 300 5W	
	outer diameter 40*40 length 400 5W	
	outer diameter 40*40 length 500 5W	
	outer diameter 40*40 length 600 5W	
	white	
	outer diameter 40*40 长 200 5W	Suitable for both spotlight and diffuse light.
	outer diameter 40*40 长 300 5W	
	outer diameter 40*40 长 400 5W	
	outer diameter 40*40 长 500 5W	
	outer diameter 40*40 长 600 5W	
	gold	
	outer diameter 40*40 length 200 5W	Suitable for both spotlight and diffuse light.
	outer diameter 40*40 length 300 5W	
	outer diameter 40*40 length 400 5W	
	outer diameter 40*40 length 500 5W	
	outer diameter 40*40 length 600 5W	

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	Product size parameters	
	black /white	gold
	Ø30*H262 5W	Ø30*H262 5W
	Ø30*H362 5W	Ø30*H362 5W
	Ø30*H462 5W	Ø30*H462 5W
	Ø30*H562 5W	Ø30*H562 5W
	Ø30*H662 5W	Ø30*H662 5W
	black /white	Red/Blue/Green
	Ø35*H330 5W	Ø35*H330 5W
 新款气泡柱吊灯 三色可选 简约清新	Acrylic Bubble Hanging Light/Acrylic 235 Length	
	black /white	Gold
	Ø30*H435 5w	Ø30*H435 5w
	Ø30*H535 5w	Ø30*H535 5w
	Ø30*H635 5w	Ø30*H635 5w
	Ø30*H735 5w	Ø30*H735 5w
	Ø30*H835 5w	Ø30*H835 5w
	Ø30*H1035 5w	Ø30*H1035 5w

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	product size		
	spec	wattage	
	Ø100*100	8W	Sand Black/Sand White/Sand Gray Sand Brown/Sand Blue Electroplating pearl black/gold
	Ø100*100 Glow up and down	8W	Sand Black/Sand White/Sand Gray Sand Brown/Sand Blue Electroplating pearl black/gold
 简约圆柱 吧台吊灯 设计师甄选的好灯光	50*290	5W	black/white gold

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

Product photo	product size		unit/mm	
	Black/white+gold ring+acrylic		Gold + Blue Ring + Acrylic	
	Ø30*H250	5w	Ø30*H250	5w
	Ø30*H350	5w	Ø30*H350	5w
	Ø30*H450	5w	Ø30*H450	5w
	Ø30*H550	5w	Ø30*H550	5w
	Ø30*H650	5w	Ø30*H650	5w
	Ø30*H850	5w	Ø30*H850	5w
	Ø30*H1050	5w	Ø30*H1050	5w
	Black/white+gold ring+acrylic		Gold + Blue Ring + Acrylic	
	Ø40*H250	5w	Ø40*H250	5w
	Ø40*H350	5w	Ø40*H350	5w
	Ø40*H450	5w	Ø40*H450	5w
	Ø40*H550	5w	Ø40*H550	5w
	Ø40*H650	5w	Ø40*H650	5w
	Ø40*H850	5w	Ø40*H850	5w
	Ø40*H1050	5w	Ø40*H1050	5w

Constant current isolation driver, Bridgelux chip, 2-year warranty, single-end price, hanging wire default exposure 1 meter

product type	photo	size dia*height mm	wattage	holder size	
Conical (COB type)		Ø30*H500	5W	black white gold	
		Ø55*H270	5W	black white gold	
Cone lights up and down (SMD type)		Ø55*H450	5W	black white gold brown silver	
Conical + gold front cover (COB/SMD type)		Ø30*H500	5W	black+gold white+gold	
Conical + Acrylic Head (COB/SMD)		Ø30*H500	5w	black white gold	
Conical + acrylic head (patch type)		Ø60*H500	5W	black white gold	

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	Product size parameters			
	black /white			
	Ø40*H300		5W	
	Ø40*H400		5W	
	Ø40*H500		5W	
	Ø40*H600		5W	
	Ø40*H700		5W	
	Ø40*H900		5W	
	Ø40*H1100		5W	
	black /white		gold	
	Ø60*H235		5W	
	Ø60*H335		5W	
	Ø60*H435		5W	
	Ø60*H535		5W	
	Ø60*H635		7W	
	Ø60*H735		7W	
	Ø60*H835		10W	
	Ø60*H935		10W	
	Ø60*H1035		10W	

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	Product size parameters		
	spec	wattage	
	inner 40*300,outer ring 60*60	5W	
	inner 40*400,outer ring 60*60	5W	
	inner 40*500, outer ring60*60	5W	
	inner 40*600, outer ring60*60	5W	
			
	inner 40*330, outer ring60*60	5W	
	Ø60*400	5W	

Constant current isolated driver, Bridgelux chips, 2-year warranty, single-head price, hanging wire regular with 1 meter

product photo	product size		unit/mm
 简约吧台吊灯 轨道式/吊线式	black /white		gold
	Ø30*H260	5w	Ø30*H260 5w
	Ø30*H360	5w	Ø30*H360 5w
	Ø30*H460	5w	Ø30*H460 5w
	Ø30*H560	5w	Ø30*H560 5w
	Ø30*H660	5w	Ø30*H660 5w
	Ø30*H860	5w	Ø30*H860 5w
	Ø30*H1060	5w	Ø30*H1060 5w
	black/white		gold
	Ø40*H260	5w	Ø40*H260 5w
	Ø40*H360	5w	Ø40*H360 5w
	Ø40*H460	5w	Ø40*H460 5w
	Ø40*H560	5w	Ø40*H560 5w
	Ø40*H660	5w	Ø40*H660 5w
	Ø40*H860	5w	Ø40*H860 5w
	Ø40*H1060	5w	Ø40*H1060 5w
	black/white		gold
	Ø60*H220	6w	Ø60*H220 6w
	Ø60*H270	6w	Ø60*H270 6w
	Ø60*H370	6w	Ø60*H370 6w
	Ø60*H470	6w	Ø60*H470 6w
	Ø60*H570	6w	Ø60*H570 6w
	Ø60*H670	6w	Ø60*H670 6w
	Ø60*H770	6w	Ø60*H770 6w
	Ø60*H870	6w	Ø60*H870 6w
	Ø60*H970	6w	Ø60*H970 6w
	Ø60*H1070	6w	Ø60*H1070 6w

Deep Anti-glare ,new extended, straight tube, aluminum hanging wire lamp

product photo		black/white	gold
		Ø60*H200 5w	Ø60*H200 5w
		Ø60*H300 5w	Ø60*H300 5w
		Ø60*H400 5w	Ø60*H400 5w
		Ø60*H500 7w	Ø60*H500 7w
		Ø60*H600 7w	Ø60*H600 7w
		Ø60*H700 7w	Ø60*H700 7w
		Ø60*H800 10w	Ø60*H800 10w
		Ø60*H900 10w	Ø60*H900 10w
		Ø60*H1000 10w	Ø60*H1000 10w
		black/white	gold
		Ø76*H150 5W	Ø76*H150 5W
		Ø76*H200 7W	Ø76*H200 7W
		Ø76*H300 7W	Ø76*H300 7W
		Ø76*H400 10W	Ø76*H400 10W
		Ø76*H500 10W	Ø76*H500 10W
		Ø76*H600 10W	Ø76*H600 10W
		Ø76*H700 10W	Ø76*H700 10W
		Ø76*H800 12W	Ø76*H800 12W
		Ø76*H900 12W	Ø76*H900 12W
		Ø76*H1000 12W	Ø76*H1000 12W
		black/white	gold
		Ø100*H150 10W	Ø100*H150 10W
		Ø100*H200 10W	Ø100*H200 10W
		Ø100*H300 12W	Ø100*H300 12W
		Ø100*H400 12W	Ø100*H400 12W
		Ø100*H500 15W	Ø100*H500 15W
		Ø100*H600 15W	Ø100*H600 15W
		Ø100*H700 15W	Ø100*H700 15W
		Ø100*H800 15W	Ø100*H800 15W
		Ø100*H900 15W	Ø100*H900 15W
		Ø100*H1000 15W	Ø100*H1000 15W